


**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

Claims 1-146. (Canceled)

Claim 147. (Currently Amended) A substituted 1- and 2-naphthol Mannich base of formula I



I

wherein

$R^1 = CH(R^9) N(R^{10})(R^{11})$  and  $R^2 = OR^{12}$  or

$R^1 = OR^{12}$  and  $R^2 = CH(R^9) N(R^{10})(R^{11})$ , and in each case the radicals

$R^3$  to  $R^8$  are identical or different and = H, F, Cl, Br,  $CF_3$ , CN,  $NO_2$ ,  $SO_2NH_2$ ,  $SO_2NHR^{13}$ ,  $NHR^{13}$ ,  $SR^{15}$ ,  $OR^{16}$ ,  $CO(OR^{20})$ ,  $CH_2CO(OR^{21})$ ,  $CO(R^{22})$ , a  $C_{1-10}$ -alkyl, an aryl radical, ~~a heteroaryl radical~~ thiophenyl, pyrrolyl or furfuryl or an aryl or ~~heteroaryl~~ radical or thiophenyl, pyrrolyl, furfuryl bonded via a  $C_{1-6}$ -alkylene group,

$R^9$  denotes an aryl radical[[,]] a heteroaryl radical or an alkyl radical without an acid proton in the  $\alpha$ -position,

~~$R^{10}, R^{11}$  are identical or different and denote a branched or unbranched, saturated or unsaturated, unsubstituted or at least monosubstituted  $C_{1-6}$ -alkyl radical or an unsubstituted or at least monosubstituted phenyl, benzyl or phenethyl radical, or~~

$R^{10}$  and  $R^{11}$  together denote  $(CH_2)_2O(CH_2)_2$  or  $(CH_2)_n$ , wherein  $n = 3$  or  $6$ ,

$R^{12} = H, COR^{22}$ , a  $C_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{13} = H, COR^{14}$ , a  $C_{1-10}$ -alkyl, an aryl radical, heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{14} = H$ , a  $C_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{15} = H$ , a  $C_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{16} = H, CO(R^{17})$ , a  $C_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{17} = H$ , a  $C_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{18} = H$ , a  $C_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{20} = H$ , a  $C_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{21} = H$ , a  $C_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{22} = H$ ,  $NHNH_2$ ,  $NHR^{18}$ , a  $C_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

or a racemate, enantiomer, diastereomer, a corresponding base of a physiologically tolerated acid or a corresponding salt of physiologically tolerated acid thereof,

excluding

the racemates of the compounds in which the radical  $R^1 = CH(R^9)N(R^{10})(R^{11})$  and  $R^2 = OR^{12}$  and in each case

the radicals  $R^3$  to  $R^8$  and  $R^{12} = H$ , the radical  $R^9 =$  phenyl, 4-methoxyphenyl, 3,4-dimethoxyphenyl, 4-dimethylaminophenyl, 4-hydroxy-2,3-di-tert-butylphenyl, 2,3-dihydrobenzodioxane, 4-nitrophenyl or benzo-1,3-dioxole and the radicals  $R^{10}$  and  $R^{11}$  together  $= (CH_2)_2O(CH_2)_2$ ,

or

the radicals  $R^3$  to  $R^8$  and  $R^{12} = H$ , the radical  $R^9 =$  phenyl and the two radicals  $R^{10}$  and  $R^{11}$  each  $= CH_3$ ,  $C_2H_5$  or  $n-C_3H_7$ ,

or

the radicals  $R^3$  to  $R^8$  each denote H, the radical  $R^{12} = CH_3$ , the radical  $R^9 =$  phenyl and the two radicals  $R^{10}$  and  $R^{11}$  each  $= CH_3$ [[,]]

or

the radicals  $R^3$  to  $R^8$  and  $R^{12} = H$ , the radical  $R^9 =$  4-methoxyphenyl or benzo-1,3-dioxole and the two radicals  $R^{10}$  and  $R^{11}$  each  $= CH_3$ [[,]]

or

the radicals  $R^3$  to  $R^5$ ,  $R^7$ ,  $R^8$ ,  $R^{12} = H$ , the radical  $R^6 = Br$ , the radical  $R^9 =$   
4-hydroxy-3,5-di-tert-butylphenyl and the radicals  $R^{10}$  and  $R^{11}$  together  $= (CH_2)_2O(CH_2)_2$ ,

or

~~the radicals  $R^3$  to  $R^8$  and  $R^{12} = H$ , the radical  $R^9 =$  phenyl and the radicals  $R^{10}$  and  $R^{11}$   
each  $= CH_3$  as the hydrochloride,~~

or

~~the radicals  $R^3$  to  $R^8$  and  $R^{12} = H$ , the radical  $R^9 =$  thiophene and the radicals  $R^{10}$  and  
 $R^{11}$  together  $= (CH_2)_2O(CH_2)_2$ ,~~

or

the radicals  $R^3$  to  $R^8 = H$ , the radical  $R^{12} = CH_3$ , ~~the radical  $R^9 =$  thiophene~~[[,]]  
4-methoxyphenyl or 3,4-dimethoxyphenyl and the radicals  $R^{10}$  and  $R^{11}$  together  $=$   
 $(CH_2)_2O(CH_2)_2$ ,

~~(+) 1-( $\alpha$ -N,N-dimethylaminobenzyl)-2-naphthol and the corresponding tartrate,~~

~~(-) 1-( $\alpha$ -N,N-dimethylaminobenzyl)-2-naphthol and the corresponding tartrate, and~~

~~(-) [(2-methoxynaphth-1-yl)benzyl]-dimethylamine and the~~

racemates of the compounds in which the radicals  $R^1 = OR^{12}$  and  $R^2 = CH(R^9)N(R^{10})(R^{11})$  and  
in each case

the radicals  $R^3$  to  $R^8$  and  $R^{12} = H$ , the radical  $R^9 =$  phenyl or 2-nitrophenyl and the  
radicals  $R^{10}$  and  $R^{11}$  together  $= (CH_2)_2O(CH_2)_2$ ,

or

Appln. No. 10/757,581

Rely to the Office Action of March 2, 2006

the radicals  $R^3$  to  $R^8$  and  $R^{12} = H$ , the radical  $R^9 = \text{phenyl}$ , the radical  $R^{10} = CH_3$  and the radical  $R^{11} = C_6H_{11}$  or the radicals  $R^{10}$  and  $R^{11}$  each  $= CH_3$ [[,]] or

the radicals  $R^3$  to  $R^6$ ,  $R^8$ ,  $R^{12} = H$ , the radical  $R^7 = CH_3$ , the  $R^9 = \text{phenyl}$  or 4-methoxyphenyl and the radicals  $R^{10}$  and  $R^{11}$  together  $= (CH_2)_2O(CH_2)_2$ , or

the radicals  $R^3$ ,  $R^4$ ,  $R^6$ ,  $R^8$ [,] and  $R^{12} = H$ , the radicals  $R^5$  and  $R^7 = CH_3$ , the radical  $R^9 = 4\text{-methoxyphenyl}$  and the radicals  $R^{10}$  and  $R^{11}$  together  $= (CH_2)_2O(CH_2)_2$ , or

the radicals  $R^3$  to  $R^8$ ,  $R^{12} = H$ , the radical  $R^9 = \text{phenyl}$  and the radicals  $R^{10}$  and  $R^{11}$  together  $= (CH_2)_2O(CH_2)_2$  as the hydrochloride, or

when  $R^1 = CH(R^9)N(R^{10})(R^{11})$  and  $R^2 = OR^{12}$ ,  $R^3$  to  $R^8$  and  $R^{12} = H$ ,  $R^9 = CH_3$  and  $R^{10}$  and  $R^{11}$  together are  $(CH_2)_2O(CH_2)_2$ .

Claim 148. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein at least one of the radicals  $R^3$ ,  $R^4$ ,  $R^5$ ,  $R^6$ ,  $R^7$  or  $R^8$  represents H.

Claim 149. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein at least one of the radicals  $R^3$ ,  $R^4$ ,  $R^5$ ,  $R^6$ ,  $R^7$  or  $R^8$  represents a  $C_{1-6}$ -alkyl radical.

Claim 150. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein at least one of the radicals  $R^3$ ,  $R^4$ ,  $R^5$ ,  $R^6$ ,  $R^7$  or  $R^8$  represents an aryl radical bonded via a  $C_{1-2}$ -alkylene group.

Claim 151. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein at least one of the radicals  $R^3$ ,  $R^4$ ,  $R^5$ ,  $R^6$ ,  $R^7$  or  $R^8$  represents F, Cl or Br.

Claim 152. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein at least one of the radicals  $R^3$ ,  $R^4$ ,  $R^5$ ,  $R^6$ ,  $R^7$  or  $R^8$  represents  $SO_2NH_2$ .

Claim 153. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein at least one of the radicals  $R^3$ ,  $R^4$ ,  $R^5$ ,  $R^6$ ,  $R^7$  or  $R^8$  represents  $NHR^{13}$ .

Claim 154. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein at least one of the radicals  $R^3$ ,  $R^4$ ,  $R^5$ ,  $R^6$ ,  $R^7$  or  $R^8$  represents  $CO(R^{22})$ .

Claim 155. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein at least one of the radicals  $R^3$ ,  $R^4$ ,  $R^5$ ,  $R^6$ ,  $R^7$  or  $R^8$  represents  $OR^{16}$ .

Claim 156. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein at least one of the radicals  $R^3$ ,  $R^4$ ,  $R^5$ ,  $R^6$ ,  $R^7$  or  $R^8$  represents  $CO(OR^{20})$ .

Claim 157. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^9$  denotes an unsubstituted phenyl radical or a phenyl radical which is at least monosubstituted by  $C_{1-4}$ -alkyl,  $C_{1-3}$ -alkoxy, halogen,  $CF_3$ , CN, O-phenyl or OH.

Claim 158. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein at least one of the radicals  $R^{10}$  or  $R^{11}$  represents a saturated, unsubstituted or at least monosubstituted  $C_1$ - $C_6$ -alkyl radical and the other remaining radical  $R^{10}$  or  $R^{11}$  and the  $R^{12}$  to  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 159. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{12}$  represents H and the radicals  $R^{13}$  to  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 160. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{12}$  represents a  $C_1$ - $C_6$ -alkyl radical and the radicals  $R^{13}$  to  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 161. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{12}$  represents an aryl radical bonded via a  $C_1$ - $C_2$ -alkylene group and the radicals  $R^{13}$  to  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 162. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{13}$  represents a H and the radicals  $R^{14}$  to  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 163. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{13}$  represents a  $C_{1-6}$ -alkyl radical and the radicals  $R^{14}$  to  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 164. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{13}$  represents an aryl radical bonded via a  $C_{1-2}$ -alkylene group and the radicals  $R^{14}$  to  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 165. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{14}$  represents a  $C_{1-6}$ -alkyl radical and the radicals  $R^{15}$  to  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.



Claim 166. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{14}$  represents an aryl radical bonded via a  $C_{1-2}$ -alkylene group and the radicals  $R^{15}$  to  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 167. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{15}$  represents a  $C_{1-6}$ -alkyl radical and the radicals  $R^{16}$  to  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 168. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{15}$  represents an aryl radical bonded via a  $C_{1-2}$ -alkylene group and the radicals  $R^{16}$  to  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 169. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{16}$  represents a  $C_{1-6}$ -alkyl radical and the radicals  $R^{17}$ ,  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 170. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{16}$  represents an aryl radical bonded via a  $C_{1-2}$ -alkylene group and the radicals  $R^{17}$ ,  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 171. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{16}$  represents H and the radicals  $R^{17}$ ,  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 172. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{16}$  represents  $CO(R^{17})$  and the radicals  $R^{17}$ ,  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 173. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{17}$  represents a  $C_{1-6}$ -alkyl radical and the radicals  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 174. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{17}$  represents an aryl radical bonded via a  $C_{1-2}$ -alkylene group and the radicals  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 175. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{17}$  represents a phenyl radical which is optionally substituted by F, Cl, Br,  $C_{1-4}$ -alkyl or  $C_{1-3}$ -alkoxy and the radicals  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 176. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{18}$  represents a  $C_{1-6}$ -alkyl radical and the radicals  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 177. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{18}$  represents an aryl radical bonded via a  $C_{1-2}$ -alkylene group and the radicals  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 178. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{18}$  represents a phenyl radical or a naphthyl radical which is optionally substituted by F, Cl, Br,  $C_{1-4}$ -alkyl or  $C_{1-3}$ -alkoxy, and the radicals  $R^{20}$  to  $R^{22}$  have the meaning according to Claim 147.

Claim 179. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{20}$  represents a  $C_{1-6}$ -alkyl radical and the radicals  $R^{21}$  and  $R^{22}$  have the meaning according to Claim 147.

Claim 180. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{20}$  represents an aryl radical bonded via a  $C_{1-2}$ -alkylene group and the radicals  $R^{21}$  and  $R^{22}$  have the meaning according to Claim 147.

Claim 181. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{20}$  represents H and the radicals  $R^{21}$  and  $R^{22}$  have the meaning according to Claim 147.

Claim 182. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{20}$  represents a phenyl radical which is optionally substituted by F, Cl, Br,  $C_{1-4}$ -alkyl or  $C_{1-3}$ -alkoxy and the radicals  $R^{21}$  and  $R^{22}$  have the meaning according to Claim 147.

Claim 183. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{21}$  represents H and the radical  $R^{22}$  has the meaning according to Claim 147.

Claim 184. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{21}$  represents a  $C_{1-6}$ -alkyl radical and the radical  $R^{22}$  has the meaning according to Claim 147.

Claim 185. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{21}$  represents an aryl radical bonded via a  $C_{1-2}$ -alkylene group and the radical  $R^{22}$  has the meaning according to Claim 147.

Claim 186. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{22}$  represents H.

Claim 187. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{22}$  represents a  $C_{1-6}$ -alkyl radical.

Claim 188. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{22}$  represents an aryl radical bonded via a  $C_{1-2}$ -alkylene group.

Claim 189. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147, wherein the radical  $R^{22}$  represents  $NHNH_2$ ,  $NHR^{18}$  or a phenyl radical which is optionally substituted by F, Cl, Br,  $C_{1-4}$ -alkyl or  $C_{1-3}$ -alkoxy.

Claim 190. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 147 wherein the Mannich base is

6-(dimethylaminophenylmethyl)-5-hydroxy-naphthalene-1-sulfonic acid amide,

4-amino-2-(dimethylaminophenylmethyl)-naphthalen-1-ol,

4-(dimethylaminophenylmethyl)-3-hydroxy-naphthalene-2-carboxylic acid hydrazide,

4-(dimethylaminophenylmethyl)-3-hydroxy-naphthalene-2-carboxylic acid methyl

ester,

4-(dimethylamino-phenyl-methyl)-3-hydroxy-naphthalene-2-carboxylic acid,

4-(dimethylaminophenylmethyl)-3-hydroxy-naphthalene-2-carboxylic acid phenyl ester,

[5-(dimethylaminophenylmethyl)-6-hydroxynaphthalen-2-yl]-phenylmethanone,  
3-amino-1-(dimethylaminophenylmethyl)-naphthalen-2-ol,  
4-(dimethylaminophenylmethyl)-3-hydroxynaphthalene-2-carboxylic acid (2-methoxy-phenyl)-amide,

4-(dimethylaminophenylmethyl)-3-hydroxy-naphthalene-2-carboxylic acid o-tolylamide,


4-(dimethylaminophenylmethyl)-3-hydroxynaphthalene-2-carboxylic acid naphthalen-1-ylamide,  
4-(dimethylaminophenylmethyl)-3-hydroxy-7-methoxynaphthalene-2-carboxylic acid,  
5-(dimethylaminophenylmethyl)-6-hydroxynaphthalene-2-carboxylic acid,  
1-(dimethylaminophenylmethyl)-7-methoxynaphthalen-2-ol,  
1-(dimethylaminophenylmethyl)-6-methoxynaphthalen-2-ol,  
5-(dimethylaminophenylmethyl)-6-hydroxynaphthalene-1-carboxylic acid,  
4-(dimethylaminophenylmethyl)-3-hydroxy-7-methoxynaphthalene-2-carboxylate sodium salt,

4-chloro-2-(morpholin-4-yl-o-tolylmethyl)-naphthalen-1-ol,  
4-chloro-2-[(2,3-dimethoxyphenyl)-morpholin-4-yl-methyl]-naphthalen-1-ol,  
5-amino-2-[(2,3-dimethoxyphenyl)-morpholin-4-yl-methyl]-naphthalen-1-ol,  
7-methoxy-1-(morpholin-4-yl-o-tolylmethyl)-naphthalen-2-ol,  
1-[(2,3-dimethoxyphenyl)-morpholin-4-yl-methyl]-7-methoxynaphthalen-2-ol,

6-bromo-1-[(2-methoxyphenyl)-morpholin-4-yl-methyl]-naphthalen-2-ol,  
6-hydroxy-5-[(2-methoxyphenyl)-morpholin-4-yl-methyl]-naphthalene-1-carboxylic  
acid,  
7-methoxy-1-[(2-methoxyphenyl)-morpholin-4-yl-methyl]-naphthalen-2-ol,  
6-methoxy-1-[(2-methoxyphenyl)-morpholin-4-yl-methyl]-naphthalen-2-ol,  
5-chloro-2-[dimethylamino-(2-methoxyphenyl)-methyl]-naphthalen-1-ol,  
{[1-(4-methoxybenzyloxy)-naphthalen-2-yl]-phenylmethyl}-dimethylamine,  
{[2-(4-methoxybenzyloxy)-naphthalen-1-yl]-phenylmethyl}-dimethylamine,  
4-methoxybenzoic acid 1-(dimethylaminophenylmethyl)-naphthalen-2-yl ester,  
2-chlorobenzoic acid 1-(dimethylaminophenylmethyl)-naphthalen-2-yl ester,  
1-(morpholin-4-yl-phenylmethyl)-naphthalen-2-ol.


Claim 191. (Withdrawn-Currently Amended) A process for the preparation of substituted 1- and 2-naphthol Mannich bases of formula I according to Claim 147, wherein in which the radical  $R^{12}$  represents H and the radicals  $R^1$  to  $R^{11}$ ,  $R^{13}$  to  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to formula I, said process comprising:

reacting one or more aromatic aldehyde compounds, heteroaromatic aldehyde compounds or aliphatic aldehyde compounds of formula II




II

in which R<sup>9</sup> has the meaning according to formula I, in solution in the presence of a base  
with one or more secondary amines of formula III



III


in which R<sup>10</sup> and R<sup>11</sup> have the meaning according to formula I,  
to give one or more aminal compounds of formula IV




IV



reacting said aiminal compounds of formula IV, without further purification, with an acid chloride in an absolute solvent to give one or more iminium salts of formula V



reacting said iminium salts of formula V without further purification and in solution with one or more substituted and/or unsubstituted 1- and 2-naphthol compounds of formula VI




VI

wherein  $\text{R}^1 = \text{H}$  and  $\text{R}^2 = \text{OH}$  or  $\text{R}^1 = \text{OH}$  and  $\text{R}^2 = \text{H}$  and in each case the radicals  $\text{R}^3$  to  $\text{R}^8$ ,  $\text{R}^{13}$  to  $\text{R}^{18}$  and  $\text{R}^{20}$  to  $\text{R}^{22}$  have the meaning according to formula I, and the 1- and 2-naphthol Mannich bases of formula I obtained in this way in which the radical  $\text{R}^{12}$  represents H and the radicals  $\text{R}^1$  to  $\text{R}^{11}$ ,  $\text{R}^{13}$  to  $\text{R}^{18}$  and  $\text{R}^{20}$  to  $\text{R}^{22}$  have the meaning according to formula I are purified by extraction and are isolated by conventional methods.


Claim 192. (Withdrawn-Currently Amended) A process for the preparation of one or more substituted 1- and 2-naphthol Mannich bases of formula I according to Claim 147 wherein the radical  $R^{12} = COR^{22}$ , a  $C_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group and the radicals  $R^1$  to  $R^{11}$ ,  $R^{13}$  to  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to formula I, said process comprising:

reacting one or more aromatic aldehyde compounds, heteroaromatic aldehyde compounds or aliphatic aldehyde compounds of formula II



II

in which  $R^9$  has the meaning according to formula I in solution in the presence of a base




III

with one or more secondary amines of formula III


in which  $R^{10}$  and  $R^{11}$  have the meaning according to formula I,

to give one or more aminal compounds of formula IV



IV


and reacting said aiminal compounds of formula IV without further purification, with an



V

acid chloride in an absolute solvent to give iminium salts of formula V

and reacting said iminium salts of formula V without further purification and in solution with one or more substituted and/or unsubstituted 1- and 2-naphthol compounds of formula VI



VI

wherein  $R^1 = H$  and  $R^2 = OH$  or  $R^1 = OH$  and  $R^2 = H$ , and in each case the other radicals  $R^3$  to  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to formula I, and the 1- and 2-naphthol Mannich bases of formula I obtained in this way in which the radical  $R^{12}$  represents H and the radicals  $R^1$  to  $R^{11}$ ,  $R^{13}$  to  $R^{18}$  and  $R^{20}$  to  $R^{22}$  have the meaning according to formula I, are purified by filtration and are isolated by conventional methods.

Claim 193. (Withdrawn) The process according to Claim 192, wherein the reaction with the compounds of formula  $XR^{12'}$  is carried out in dimethylformamide.

Claim 194. (Withdrawn) The process according to Claim 192, wherein  $X = Cl$ .

Claim 195. (Withdrawn) The process according to Claim 192, wherein the reaction with the compounds of formula  $XR^{12'}$  is carried out in the presence of triethylamine or potassium tert-butyrate as a base.

Claim 196. (Withdrawn) The process according to Claim 192, wherein the compounds of formula I in which  $R^{12}$  is not H, are purified by filtration over a scavenger resin


Claim 197. (Withdrawn) The process according to Claim 191, wherein the aromatic aldehyde compounds, heteroaromatic aldehyde compounds and/or aliphatic aldehyde compounds of formula II are reacted in an organic solvent with one or more secondary amines of formula III.

Claim 198. (Withdrawn) The process according to Claim 191, wherein the aromatic aldehyde compounds, heteroaromatic aldehyde compounds and/or aliphatic aldehyde compounds of formula II are reacted in the presence of potassium carbonate or boric acid anhydride as the base.

Claim 199. (Withdrawn) The process according to Claim 191, wherein the aminal compounds of formula IV are reacted with acetyl chloride to give iminium salts of formula V.

Claim 200. (Withdrawn) The process according to Claim 191, wherein the aminal compounds of formula IV are reacted in absolute diethyl ether to give iminium salts of formula V.

Claim 201. (Currently Amended) A medicament comprising, at least one substituted 1- and 2-naphthol Mannich base of formula I



I

wherein

$$R^1 = CH(R^9) N(R^{10})(R^{11}) \text{ and } R^2 = OR^{12}$$

or

$$R^1 = OR^{12} \text{ and } R^2 = CH(R^9) N(R^{10})(R^{11}),$$

and in each case the radicals

$R^3$  to  $R^8$  are identical or different and is H, F, Cl, Br,  $CF_3$ , CN,  $NO_2$ ,  $SO_2NH_2$ ,  $SO_2NHR^{13}$ ,  $NHR^{13}$ ,  $SR^{15}$ ,  $OR^{16}$ ,  $CO(OR^{20})$ ,  $CH_2CO(OR^{21})$ ,  $CO(R^{22})$ , a  $C_{1-10}$ -alkyl, an aryl radical, ~~a heteroaryl radical~~ thiophenyl, pyrrolyl or furfuryl or an aryl ~~or heteroaryl radical, or thiophenyl, pyrrolyl, furfuryl~~ bonded via a  $C_{1-6}$ -alkylene group,

$R^9$  denotes an aryl radical~~[[,]] a heteroaryl radical~~ or an alkyl radical without an acid proton in the  $\alpha$ -position,

~~$R^{10}, R^{11}$  are identical or different and denote a branched or unbranched, saturated or unsaturated, unsubstituted or at least monosubstituted  $C_{1-6}$ -alkyl radical or an unsubstituted or at least monosubstituted phenyl, benzyl or phenethyl radical, or~~

$R^{10}$  and  $R^{11}$  together denote  $(CH_2)_n$ , wherein  $n = 3$  or 6 or ~~[[,]]~~  $(CH_2)_2O(CH_2)_2$ ,

$R^{12} = H$ ,  $COR^{22}$ , a  $C_{1-10}$ -alkyl, an aryl radical, ~~a heteroaryl radical~~ or an aryl ~~or heteroaryl~~ radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{13} = H, COR^{14}$ , a  $C_{1-10}$ -alkyl, an aryl radical, heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{14} = H$ , a  $C_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{15} = H$ , a  $C_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{16} = H, CO(R^{17})$ , a  $C_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{17} = H$ , a  $C_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{18} = H$ , a  $C_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{20} = H$ , a  $C_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene

$R^{21} = H$ , a  $C_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{22} = H, NHNH_2, NHR^{18}$ , a  $C_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

and/or their racemates, enantiomers, diastereomers, and/or corresponding bases and/or corresponding salts of physiologically tolerated acid and optionally further active compounds and/or auxiliary substances.

Claim 202. (Previously Presented) The medicament according to Claim 201, comprising a mixture of enantiomers of at least one substituted 1-naphthol Mannich base and/or 2-naphthol Mannich base of formula I in non-equimolar amounts.

Claim 203. (Previously Presented) The medicament according to Claim 201, wherein the relative proportion of one of the enantiomers of the mixture is 5 to 45 mol % based on the mixture of enantiomers.

Claim 204. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 157, wherein the radical  $R^9$  is 2-methoxy-phenyl, 3-methoxy-phenyl, 4-methoxy-phenyl, 2-methyl-phenyl, 3-methyl-phenyl, 4-methyl-phenyl, 2-tert-butyl-phenyl, 3-tert-butyl-phenyl, 4-tert-butylphenyl, 2-fluoro-phenyl, 3-fluoro-phenyl, 4-fluoro-phenyl, 2-chloro-phenyl, 3-chloro-phenyl, 4-chloro-phenyl, 2-bromo-phenyl, 3-bromo-phenyl, 4-bromo-phenyl, 5-bromo-2-fluoro-phenyl, 2-chloro-4-fluoro-phenyl, 2-chloro-5-fluoro-phenyl, 2-chloro-6-fluoro-phenyl, 4-bromo-2-fluoro-phenyl, 3-bromo-4-fluoro-phenyl, 3-bromo-2-fluoro-phenyl, 2,3-dichloro-phenyl, 2,4-dichloro-phenyl, 2,5-dichloro-phenyl, 3,4-dichloro-phenyl, 2,3-dimethyl-phenyl, 2,4-dimethyl-phenyl, 2,5-dimethyl-phenyl, 2,3-dimethoxy-phenyl, 2,4-dimethoxy-phenyl, 2,5-dimethoxy-phenyl, 3,4-dimethoxy-phenyl, 3,4,5-trimethoxy-phenyl, 2-trifluoromethyl-phenyl, 3-trifluoro-methyl-phenyl or 4-trifluoromethyl-phenyl radical.



Claim 205. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 157, wherein  $R^9$  is an unsubstituted phenyl radical.

Claim 206. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 158, wherein at least one of the radicals  $R^{10}$  or  $R^{11}$  is a  $CH_3$  radical.

Claim 207. (Previously Presented) The substituted 1- and 2-naphthol Mannich base according to Claim 178, wherein  $R^{18}$  is a phenyl radical which is optionally substituted by F, Cl, Br,  $C_{1-4}$ -alkyl or  $C_{1-3}$ -alkoxy.

Claim 208. (Withdrawn) The process of Claim 191, wherein the aromatic aldehyde compounds, heteroaromatic aldehyde compounds or aliphatic aldehyde compounds of formula II are reacted at a temperature of from  $-10^\circ\text{C}$  to  $110^\circ\text{C}$ .

Claim 209. (Withdrawn) The process of Claim 191, wherein the iminium salts of formula V are reacted in acetonitrile.

Claim 210. (Withdrawn) The process of Claim 192, wherein the aromatic aldehyde compounds, heteroaromatic aldehyde compounds and/or aliphatic aldehyde compounds of formula II are reacted at a temperature of from  $-10$  to  $110^\circ\text{C}$ .

Claim 211. (Withdrawn) The process of Claim 192, wherein the iminium salts of formula V are reacted in acetonitrile.

Claim 212. (Withdrawn) The process of Claim 192, wherein the iminium compounds of formula XR<sup>12</sup> are reacted at a temperature of from 10 to 150°C.

Claim 213. (Withdrawn) The process of Claim 196, wherein the scavenger resin is polymer-bonded tris(2-aminoethyl)amine and/or 3-(3-mercaptophenyl)propane-amidomethylpolystyrene.

Claim 214. (Withdrawn) The process according to Claim 197, wherein the compounds are reacted in toluene.

Claim 215. (Withdrawn) The process according to Claim 192, wherein the aromatic aldehyde compounds, heteroaromatic aldehyde compounds or aliphatic aldehyde compounds of formula II are reacted in the presence of potassium carbonate or boric acid anhydride as a base.

Claim 216. (Withdrawn) The process according to Claim 192, wherein one or more aromatic aldehyde compounds, heteroaromatic aldehyde compounds, or aliphatic aldehyde compounds of formula II are reacted in an organic solvent with one or more secondary amines of formula III.

Claim 217. (Withdrawn) The process according to Claim 216, wherein the compounds are reacted in toluene.

Claim 218. (Withdrawn) The process according to Claim 189, wherein  $R^{22}$  is  $NHNH_2$  or  $NHR^{18}$ .

Claim 219. (Withdrawn) The process according to Claim 192, wherein the amination compounds of formula IV are reacted with acetyl chloride to give iminium salts of formula V.

Claim 220. (Withdrawn) The process according to Claim 192, wherein the amination compounds of formula IV are reacted in absolute diethyl ether to give iminium salts of formula V.

Claim 221. (Previously Presented) The medicament of Claim 201, wherein  $R^3$  to  $R^8$  are identical or different and may be H, F, Cl, Br,  $SO_2NH_2$ ,  $NHR^{13}$ ,  $CO(R^{22})$ ,  $OR^{16}$ ,  $CO(OR^{20})$ , a  $C_{1-6}$ -alkyl radical or an aryl radical bonded by a  $C_{1-2}$ -alkylene group.

Claim 222. (Previously Presented) The medicament of Claim 201, wherein  $R^3$  to  $R^8$  are identical or different and may be H,  $NHR^{13}$ ,  $CO(R^{22})$ ,  $OR^{16}$  or  $CO(OR^{20})$ .

Claim 223. (Previously Presented) The medicament of Claim 201, wherein R<sup>9</sup> is an unsubstituted phenyl radical or a phenyl radical which is at least monosubstituted by C<sub>1-4</sub>-alkyl, C<sub>1-3</sub>-alkoxy, halogen, CF<sub>3</sub>, CN, O-phenyl or OH.

Claim 224. (Previously Presented) The medicament of Claim 201, wherein R<sup>9</sup> is 2-methoxy-phenyl, 3-methoxy-phenyl, 4-methoxy-phenyl, 2-methyl-phenyl, 3-methyl-phenyl, 4-methyl-phenyl, 2-tert-butyl-phenyl, 3-tert-butyl-phenyl, 4-tert-butyl-phenyl, 2-fluoro-phenyl, 3-fluoro-phenyl, 4-fluoro-phenyl, 2-chloro-phenyl, 3-chloro-phenyl, 4-chloro-phenyl, 2-bromo-phenyl, 3-bromo-phenyl, 4-bromo-phenyl, 5-bromo-2-fluoro-phenyl, 2-chloro-4-fluoro-phenyl, 2-chloro-5-fluoro-phenyl, 2-chloro-6-fluoro-phenyl, 4-bromo-2-fluoro-phenyl, 3-bromo-4-fluoro-phenyl, 3-bromo-2-fluoro-phenyl, 2,3-dichloro-phenyl, 2,4-dichloro-phenyl, 2,5-dichloro-phenyl, 3,4-dichloro-phenyl, 2,3-dimethyl-phenyl, 2,4-dimethyl-phenyl, 2,5-dimethylphenyl, 2,3-dimethoxy-phenyl, 2,4-dimethoxy-phenyl, 2,5-dimethoxy-phenyl, 3,4-dimethoxy-phenyl, 3,4,5-trimethoxy-phenyl, 2-trifluoromethyl-phenyl, 3-trifluoromethyl-phenyl or 4-trifluoromethyl-phenyl radical.

Claim 225. (Previously Presented) The medicament of Claim 201, wherein R<sup>9</sup> is an unsubstituted phenyl radical.

Claim 226. (Previously Presented) The medicament of Claim 201, wherein R<sup>10</sup> and R<sup>11</sup> are a saturated, unsubstituted or at least monosubstituted C<sub>1-6</sub>-alkyl radical.

Claim 227. (Previously Presented) The medicament of Claim 201, wherein  $R^{10}$  and  $R^{11}$  are a  $CH_3$  radical.

Claim 228. (Previously Presented) The medicament of Claim 201, wherein  $R^{12}$  is H, a  $C_{1-6}$ -alkyl radical or an aryl radical bonded via a  $C_{1-2}$ -alkylene group.

Claim 229. (Previously Presented) The medicament of Claim 201, wherein  $R^{13}$  is H, a  $C_{1-6}$ -alkyl radical or an aryl radical bonded via a  $C_{1-2}$ -alkylene group.

Claim 230. (Previously Presented) The medicament of Claim 201, wherein  $R^{13}$  is H.

Claim 231. (Previously Presented) The medicament of Claim 201, wherein  $R^{14}$  is a  $C_{1-6}$ -alkyl radical or an aryl radical bonded via a  $C_{1-2}$ -alkylene group.

Claim 232. (Previously Presented) The medicament of Claim 201, wherein  $R^{15}$  is a  $C_{1-6}$ -alkyl radical or an aryl radical bonded via a  $C_{1-2}$ -alkylene group.

Claim 233. (Previously Presented) The medicament of Claim 201, wherein  $R^{16}$  is H, a  $C_{1-6}$ -alkyl radical, an aryl radical bonded via a  $C_{1-2}$ -alkylene group or  $CO(R^{17})$ .

Claim 234. (Previously Presented) The medicament of Claim 201, wherein  $R^{16}$  is H or  $CO(R^{17})$ .

Claim 235. (Previously Presented) The medicament of Claim 201, wherein  $R^{17}$  is a  $C_{1-6}$ -alkyl radical, an aryl radical bonded via a  $C_{1-2}$ -alkylene group or a phenyl radical which is optionally substituted by F, Cl, Br,  $C_{1-4}$ -alkyl or  $C_{1-3}$ -alkoxy.

Claim 236. (Previously Presented) The medicament of Claim 201, wherein  $R^{17}$  is a phenyl radical which is optionally substituted by F, Cl, Br,  $C_{1-4}$ -alkyl or  $C_{1-3}$ -alkoxy.

Claim 237. (Previously Presented) The medicament of Claim 201, wherein  $R^{18}$  is a  $C_{1-6}$ -alkyl radical, an aryl radical bonded via a  $C_{1-2}$ -alkylene group or a phenyl or naphthyl radical which is optionally substituted by F, Cl, Br,  $C_{1-4}$ -alkyl or  $C_{1-3}$ -alkoxy.

Claim 238. (Previously Presented) The medicament of Claim 201, wherein  $R^{18}$  is a phenyl radical which is optionally substituted by F, Cl, Br,  $C_{1-4}$ -alkyl or  $C_{1-3}$ -alkoxy.

Claim 239. (Previously Presented) The medicament of Claim 201, wherein  $R^{20}$  is H, a  $C_{1-6}$ -alkyl radical, an aryl radical bonded via a  $C_{1-2}$ -alkylene group or a phenyl radical which is optionally substituted by F, Cl, Br,  $C_{1-4}$ -alkyl or  $C_{1-3}$ -alkoxy.

Claim 240. (Previously Presented) The medicament of Claim 201, wherein  $R^{20}$  is H or a phenyl radical which is optionally substituted by F, Cl, Br,  $C_{1-4}$ -alkyl or  $C_{1-3}$ -alkoxy.

Claim 241. (Previously Presented) The medicament of Claim 201, wherein  $R^{21}$  is H, a  $C_{1-6}$ -alkyl radical or an aryl radical bonded via a  $C_{1-2}$ -alkylene group.

Claim 242. (Previously Presented) The medicament of Claim 201, wherein  $R^{22}$  is H, a  $C_{1-6}$ -alkyl radical, an aryl radical bonded via a  $C_{1-2}$ -alkylene group,  $NHNH_2$ ,  $NHR^{18}$  or a phenyl radical which is optionally substituted by F, Cl, Br,  $C_{1-4}$ -alkyl or  $C_{1-3}$ -alkoxy.

Claim 243. (Previously Presented) The medicament of Claim 201, wherein  $R^{22}$  is  $NHNH_2$ ,  $NHR^{18}$  or a phenyl radical which is optionally substituted by F, Cl, Br,  $C_{1-4}$ -alkyl or  $C_{1-3}$ -alkoxy.

Claim 244. (Previously Presented) The medicament of Claim 201, wherein  $R^{22}$  is  $NHNH_2$  or  $NHR^{18}$ .

Claim 245. (Previously Presented) The medicament of Claim 203, wherein the reactive portion of one of the enantiomers of the mixture is 10-40 mol % based on the mixture of enantiomers.

Claim 246. (Withdrawn) A process for preparing a pharmaceutical composition, said process comprising  
mixing the medicament of Claim 201 with a pharmaceutically acceptable carrier or diluent.

Claim 247. (Withdrawn) A method comprising  
administering a composition comprising at least one Mannich base of Claim 147 in an  
amount effective for combating pain in a person in need thereof.

Claim 248. (Withdrawn) A method comprising  
administering composition comprising at least one Mannich base of Claim 147 in an  
amount effective for treating inflammatory reactions in a person in need thereof.

Claim 249. (Withdrawn) A method comprising  
administering a composition comprising one or more Mannich base of Claim 147 in an  
amount effective for treating allergic reactions to a person in need thereof.

Claim 250. (Withdrawn) A method comprising  
administering a composition comprising at least one Mannich base of Claim 147 in an  
amount effective for treating drug and/or alcohol abuse in a person in need thereof.

Claim 251. (Withdrawn) A method comprising  
administering a composition comprising at least one Mannich base of Claim 147 in an  
amount effective for treating diarrhea to a person in need thereof.

Claim 252. (Withdrawn) A method comprising



administering a composition comprising at least one Mannich base of Claim 147 in an amount effective for treating gastritis to a person in need thereof.

Claim 253. (Withdrawn) A method comprising  
administering a composition comprising at least one Mannich base of Claim 147 in an amount effective for treating ulcers to a person in need thereof.

Claim 254. (Withdrawn) A method comprising  
administering a composition comprising at least one Mannich base of Claim 147 in an amount effective for treating cardiovascular disease to a person in need thereof.

Claim 255. (Withdrawn) A method comprising  
administering a composition comprising at least one Mannich base of Claim 147 in an amount effective for treating urinary incontinence to a person in need thereof.

Claim 256. (Withdrawn) A method comprising  
administering a composition comprising at least one Mannich base of Claim 147 in an amount effective for treating depression to a person in need thereof.

Claim 257. (Withdrawn) A method comprising  
administering a composition comprising at least one Mannich base of Claim 147 in an amount effective for treating shock to a person in need thereof.

Appln. No. 10/757,581  
Rely to the Office Action of March 2, 2006

Claim 258. (Withdrawn) A method comprising  
administering a composition comprising at least one Mannich base of Claim 147 in an  
amount effective for treating migraines to a person in need thereof.

Claim 259. (Withdrawn) A method comprising  
administering a composition comprising at least one Mannich base of Claim 147 in an  
amount effective for treating narcolepsy to a person in need thereof.

Claim 260. (Withdrawn) A method comprising  
administering a composition comprising at least one Mannich base of Claim 147 in an  
amount effective for reducing the weight of a person.

Claim 261. (Withdrawn) A method comprising  
administering a composition comprising at least one Mannich base of Claim 147 in an  
amount effective for treating asthma to a person in need thereof.


Claim 262. (Withdrawn) A method comprising  
administering a composition comprising at least one Mannich base of Claim 147 in an  
amount effective for treating glaucoma to a person in need thereof.

Claim 263. (Withdrawn) A method comprising

administering a composition comprising at least one Mannich base of Claim 147 in an amount effective for treating hyperkinetic syndrome to a person in need thereof.

Claims 264-267. (Canceled)

Claim 268. (Withdrawn) A substituted 1- and 2-naphthol Mannich base of formula I



wherein

$R^1 = \text{CH}(R^9) \text{N}(R^{10})(R^{11})$  and  $R^2 = \text{OR}^{12}$

or

$R^1 = \text{OR}^{12}$  and  $R^2 = \text{CH}(R^9) \text{N}(R^{10})(R^{11})$ ,

and in each case the radicals

$R^3$  to  $R^8$  are identical or different and = H, F, Cl, Br,  $\text{CF}_3$ , CN,  $\text{NO}_2$ ,  $\text{SO}_2\text{NH}_2$ ,  $\text{SO}_2\text{NHR}^{13}$ ,  $\text{NHR}^{13}$ ,  $\text{SR}^{15}$ ,  $\text{OR}^{16}$ ,  $\text{CO}(\text{OR}^{20})$ ,  $\text{CH}_2\text{CO}(\text{OR}^{21})$ ,  $\text{CO}(\text{R}^{22})$ , a  $\text{C}_{1-10}$ -alkyl, an aryl radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $\text{C}_{1-6}$ -alkylene group,

$R^9$  denotes an aryl radical, a heteroaryl radical or an alkyl radical without an acid proton in the  $\alpha$ -position,

$R^{10}$ ,  $R^{11}$  are identical or different and denote a branched or unbranched, saturated or unsaturated, unsubstituted or at least monosubstituted  $C_{1-6}$ -alkyl radical or an unsubstituted or at least monosubstituted phenyl, benzyl or phenethyl radical,

$R^{10}$  and  $R^{11}$  together denote  $(CH_2)_n$ , wherein  $n$  is 4 or 5,

$R^{12}$  = a heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{13}$  = heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{14}$  = a heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{15}$  = a heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{16}$  = a heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{17}$  = a heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{18}$  = a heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{20}$  = a heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{21}$  = a heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{22}$  = a heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

or a racemate, enantiomer, diastereomer, a corresponding base of a physiologically tolerated acid or a corresponding salt of physiologically tolerated acid thereof,

excluding

the racemates of the compounds in which the radical  $R^1 = CH(R^9) N(R^{10})(R^{11})$  and  $R^2 = OR^{12}$  and in each case,

the radicals  $R^3$  to  $R^8$  and  $R^{12} = H$ , the radical  $R^9 =$  phenyl, 2-chlorophenyl, 4-methoxyphenyl, 3-fluorophenyl, 3-chlorophenyl, 3-bromophenyl, 4-bromophenyl,

2-fluorophenyl, 2-bromophenyl, benzo-1,3-dioxole, 4-CH<sub>3</sub>OCO-phenyl or 2-methoxyphenyl and the radicals R<sup>10</sup> and R<sup>11</sup> together = (CH<sub>2</sub>)<sub>5</sub>,

or

the radicals R<sup>3</sup> to R<sup>8</sup> and R<sup>12</sup> = H, the radical R<sup>9</sup> = 4-methoxyphenyl and the radicals R<sup>10</sup> and R<sup>11</sup> together = (CH<sub>2</sub>)<sub>4</sub>,

or

the radical R<sup>3</sup> = CO(OR<sup>20</sup>), the radicals R<sup>4</sup> to R<sup>8</sup> and R<sup>12</sup> = H, the radical R<sup>9</sup> = phenyl, 4-methoxyphenyl, 4-methylphenyl, 4-nitrophenyl or p-benzaldehyde, the radicals R<sup>10</sup> and R<sup>11</sup> together = (CH<sub>2</sub>)<sub>5</sub> and the radical R<sup>20</sup> = CH<sub>3</sub>,

or

the radicals R<sup>3</sup> to R<sup>5</sup>, R<sup>7</sup>, R<sup>8</sup>, R<sup>12</sup> = H, the radical R<sup>6</sup> = Br, the radical R<sup>9</sup> = phenyl and the radicals R<sup>10</sup> and R<sup>11</sup> together = (CH<sub>2</sub>)<sub>5</sub>,

or

the radicals R<sup>3</sup> to R<sup>8</sup> and R<sup>12</sup> = H, the radical R<sup>9</sup> = phenyl or 4-methoxyphenyl and the radicals R<sup>10</sup> and R<sup>11</sup> together = (CH<sub>2</sub>)<sub>5</sub> as the hydrochloride,

or

the radical R<sup>3</sup> = CO(OR<sup>20</sup>), the radicals R<sup>4</sup> to R<sup>8</sup> and R<sup>12</sup> = H, the radical R<sup>9</sup> = phenyl, the radicals R<sup>10</sup> and R<sup>11</sup> together = (CH<sub>2</sub>)<sub>5</sub> and the radical R<sup>20</sup> = CH<sub>3</sub> as the hydrochloride,

and the enantiomers of the compound of formula I in which R<sup>1</sup> = CH(R<sup>9</sup>)N(R<sup>10</sup>)(R<sup>11</sup>) and R<sup>2</sup> = OR<sup>12</sup> and the radicals R<sup>3</sup> to R<sup>8</sup>, R<sup>12</sup> = H, R<sup>9</sup> = phenyl and R<sup>10</sup> and R<sup>11</sup> together = (CH<sub>2</sub>)<sub>5</sub>, and

the racemates of the compounds in which the radicals  $R^1 = OR^{12}$  and  $R^2 = CH(R^9)N(R^{10})(R^{11})$  and in each case the radicals,

$R^3$  to  $R^8$  and  $R^{12} = H$  the radical  $R^9 =$  phenyl, 2-bromophenyl, 3-bromophenyl or 4-bromophenyl and the radicals  $R^{10}$  and  $R^{11}$  together  $= (CH_2)_5$ ,

or

$R^3, R^4, R^6, R^8$  and  $R^{12} = H$ , the radicals  $R^5, R^7 = CH_3$ , or  $R^5 = H$  and  $R^7 = CH_3$  the radical  $R^9 =$  phenyl or 4-methoxyphenyl and the radicals  $R^{10}$  and  $R^{11}$  together  $= (CH_2)_5$ ,


or

$R^3$  to  $R^6, R^8$  and  $R^{12} = H$ , the radical  $R^7 = CH_3$ , the radical  $R^9 =$  4-methoxyphenyl or phenyl and the radicals  $R^{10}, R^{11}$  together  $= (CH_2)_5$ .

Claim 269. (Withdrawn) The medicament according to Claim 268, wherein heteroaryl in the claim is an aromatic moiety having at least one heteroatom and is optionally substituted with halogen, CN,  $CF_3$  or OH.

Claim 270. (Withdrawn) The medicament according to Claim 269, wherein heteroaryl is thiophenyl, pyrrolyl or furfuryl.

Claim 271. (Withdrawn) A medicament comprising, at least one substituted 1- and 2-naphthol Mannich base of formula I



I

wherein

$$R^1 = CH(R^9) N(R^{10})(R^{11}) \text{ and } R^2 = OR^{12}$$

or

$$R^1 = OR^{12} \text{ and } R^2 = CH(R^9) N(R^{10})(R^{11}),$$

and in each case the radicals

$R^3$  to  $R^8$  are identical or different and is H, F, Cl, Br,  $CF_3$ , CN,  $NO_2$ ,  $SO_2NH_2$ ,

$SO_2NHR^{13}$ ,  $NHR^{13}$ ,  $SR^{15}$ ,  $OR^{16}$ ,  $CO(OR^{20})$ ,  $CH_2CO(OR^{21})$ ,  $CO(R^{22})$ , a  $C_{1-10}$ -alkyl, an aryl

radical, a heteroaryl radical or an aryl or heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^9$  denotes an aryl radical, a heteroaryl radical or an alkyl radical without an acid proton in the  $\alpha$ -position,

$R^{10}$  and  $R^{11}$  together denote  $(CH_2)_n$ , wherein n is 4 or 5,

$R^{12}$  = a heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{13}$  = heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{14}$  = a heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{15}$  = a heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{16}$  = a heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{17}$  = a heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{18}$  = a heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{20}$  = a heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{21}$  = a heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

$R^{22}$  = a heteroaryl radical or a heteroaryl radical bonded via a  $C_{1-6}$ -alkylene group,

and/or their racemates, enantiomers, diastereomers, and/or corresponding bases and/or corresponding salts of physiologically tolerated acid and optionally further active compounds and/or auxiliary substances.

Claim 272. (Withdrawn) The medicament according to Claim 271, wherein heteroaryl in the claim is an aromatic moiety having at least one heteroatom and is optionally substituted with halogen, CN,  $CF_3$  or OH.

Claim 273. (Withdrawn) The medicament according to Claim 272, wherein heteroaryl is thiophenyl, pyrrolyl or furfuryl.